

Knowledge in action

# Construction

Product catalog Germany



NORDMANN







# Additives & special products

Acetates	Ammonium acetate
	Calcium acetate
	Potassium acetate
	Magnesium acetate
	Sodium acetate
	Zink acetate
Calcium formate	Accelerator
ETHACURE®	Aminic chain extenders for polyurea, epoxy and polyurethane
Stearates, Oleates	Metal soaps for hydrophobization
FTONE™	Fluoropolymer dispersion for stone and concrete protection
LEVELON	Air-entraining agent
Neopentyl Glycol	Shrinkage reducing additive
ONGRONAT®	Polymeric MDI isocyanate
PEO®	Polyethylene oxide
Process oils	GTL (gas to liquids) technology and conventional (mineral oil) base
Naphthenic raffinates	
Foam binders	Surface-active substances
Stepan®	Foam booster, Foam stabilizer, Hydrotropes
Tartaric Acid and Salts	Retarding agent
Zeoflo®	Free flow additive for powder products



# Concrete additives

BORRESPERSE	Plasticizer
Defoamers	Defoamer
EMAL®	Air-entraining agent
FLUOCAST	Dispersion of Calcium Stearate
MELAPRET	Plasticizer
MIGHTY®	Plasticizer
ULTRAZINE	Plasticizer

# Binders

ACRILEM®	Polymer dispersions (Acrylates, Styren acrylates, VeoVa)
Capa™	Polycaprolactone polyols
Caradol™	Polyether polyols
D.E.R.™ D.E.N.™	Epoxy resins (conventional and waterborne), Blends & Reactive Diluents
D.E.H.™	Epoxy hardeners (conventional, VOC-free and waterborne)
Idrocap®	Polyurethane dispersions
Necowel™	Modified and unmodified alkyd emulsions
Necowel™ 700, Necowel™ 750	Polyol component for two-component aqueous PU
ORP® ORP® Hydroflex ORP® Thermobond ORP® Flowbond	Redispersible polymer powders
PVA	Polyvinyl alcohol





## Binders

RESONAC CHLOROPRENE™	Polychloroprene latex (CR)
LIGOS™	Styrene-butadiene latex
VISIOMER®	Methacrylate monomers
ZIBO DEXIN POLYETHER AMINE	Polyether amines

## Bitumen additives

ASFIER®	Emulsifiers for cationic and anionic bituminous emulsions
DANOX	Fluxant, Rejuvenator
FACI EBS	Ethylene bis stearamide (amide wax)
GRIPPER	Antistripping agent
HONEYWELL TITAN®	High density oxidized polyethylene homopolymers (HD OX PE)

## Dust-binding agents

Naphthenic raffinates	
Medical white oils	Based on GTL (gas to liquids) technology
Technical white oils	GTL (gas to liquids) technology and conventional (mineral oil) base

# Fatty acids

Stearic acid

vegetable / tallow basis

# Fatty acid esters

Esters

Complex esters

Glycerin esters

Glycol esters

Methyl esters

Monoalcohol esters

Polyglycol esters

Polyol esters

Trimellitate esters





# Pigments & fillers

ALTIRIS®	Infrared reflecting pigment
Blanc Fixe®™	Synthetic barium sulfate
DELTIO®	Titanium dioxide, free-flowing
DONACARBO	Chopped and milled carbon fibres for antistatic applications
ENSACO®	Electrically conductive carbon black
HOMBITAN®	Anatase titanium dioxide pigment
HOMBITEC® SACHTLEBEN® TIOXIDE®	Rutile titanium dioxide; chloride- and sulfate process
KaMin®	Washed or calcined secondary kaolins
Lithopone	White pigment (BaSO <sub>4</sub> + ZnS)
NorBlack	Pigment carbon black
Sacholith®	White pigment (ZnS)

# Rheological additives

AKUCCELL®, FINNFIX®	Carboxymethyl cellulose
CEKOL®	
BERMOCOLL®	Cellulose ether
NORSTAR	Starch ether
Precipitated silica	
POLYCOL	HP-guar, polysaccharides





# Nordmann Portfolio

Agrochemicals  
Adhesives & Sealants  
Ceramics  
Cleaning  
Coatings & Inks  
Composites  
Construction  
Elastomers  
Electronics  
Fine Chemicals  
Flame Retardants  
Food & Feed  
Foundry  
Health Care  
Industrial Chemicals  
Monomers  
Oil, Gas & Lubricants  
Oleochemicals  
Polyurethane  
Optical  
Paper  
Personal Care  
Plastics  
Textiles & Leather

All the information and application knowledge presented here is based on practical experience and research. However, it is non-binding information. We therefore strongly recommend that you carry out your own tests before using our products. This applies in particular to our formulations, which only represent a starting point for individual developments and for which we can provide no guarantee.

The user alone is responsible for testing in the respective countries concerned and with regard to possible conflicting industrial property rights of third parties (e.g. patents). In this respect, we assume no liability for formulations or partial recipes. Our products are sold according to our General Conditions of Sale.



*Advertising for dangerous substances*

*Dangerous substance as per Regulation (EC) No 1272/2008. This substance is classified and assigned in accordance with the requirements of the aforementioned ordinance. For further information on this substance, please refer to the safety data sheet.*

# Our global network

## Europe

Austria  
BeNeLux  
Bulgaria  
Czech Republic  
France  
Germany  
Hungary  
Italy  
Sweden  
Poland  
Portugal  
Romania  
Serbia  
Slovakia  
Slovenia  
Spain  
Switzerland  
Turkey  
United Kingdom

## North America

USA, Florida



## Asia

China (rep office)  
India  
Japan  
Singapore  
South Korea

### **Nordmann, Rassmann GmbH**

Kajen 2  
20459 Hamburg  
Germany  
Phone: +49 40 3687-0  
Fax: +49 40 3687 249  
info@nordmann.global  
www.nordmann.global



**NORDMANN**