

Knowledge in action

Composites

Product catalog



NORDMANN

Unsaturated polyester resins

AROPOL™	Ortho, Iso, Iso-NPG, DCPD resins
AROPOL™ G	Standard resins
AROPOL™ M	Low styrene emission resins
AROPOL™ PT	PET resins
AROPOL™ UN	Iso-NPG resins
ENVIREZ®	Bio-based UP resins
HETRON™	Flame retardant resins
NEULON®	Low profile additives
POLARIS™	Mineral cast, solid surface

Epoxy vinyl ester resins

AME™ VPRO	Barrier coat
DERAKANE™	Special vinyl ester resins for chemical and thermal stress
DERAKANE™ 411 series	Vinyl ester resins based on Bisphenol-A epoxy
DERAKANE™ 470 series	Vinyl ester resins based on Epoxy Novolac
DERAKANE™ 510 series	Flame retardant modified vinyl ester resins
DERAKANE™ 8084	Rubber-modified vinyl ester resins
DERAKANE SIGNIA	Low styrene emission vinyl ester resins

Epoxy resins and epoxy resin hardeners

D.E.N.	Epoxy novolac resins
D.E.H.	Epoxy hardeners (conventional, VOC-free and waterborne)
D.E.R.	Epoxy resins & Blends, reactive diluents

Tooling

MAXGUARD™ GT	Epoxy vinylester tooling gelcoat
AME™ 6000	Epoxy vinylester skin coat resin
AROPOL™ XO	Tooling resin with zero shrink



Gelcoats

ENGUARD™ GE	Iso gelcoats, INSTINT color mixing service
MAXGUARD™ NP	Iso-NPG gelcoats with extreme low styrene content, INSTINT color mixing service
MAXGUARD™ SW	Iso-NPG gelcoats for swimming pools

Bonding pastes

ENGUARD™ BP	Laminate and sandwich bonding
-------------	-------------------------------

Structural adhesives

PLIOGRIP®	Base epoxy resins, polyurethanes, acrylates
-----------	---

Peroxides

KETANOX®	MEKP
KETANOX®	MEKP + TBHP
KETANOX®	AAP
KETANOX®	AAP / MEKP mixtures
KETANOX®	MIBKP

Rheology additives

HDK®	Fumed silica
------	--------------

Processing aids

HONEY WAX®	Release agent based on carnauba wax, long service life
KANTSTIK®	Semi-permanent release agent, sealing
RELEASOMER™	Semi-permanent release agent, silicone-free solution



Tools

Laminating rolls, deaerator rolls and other consumables

Carbon fibers

Standard to high modulus PAN based Carbon fibers

Fiberglass and carbon fiber fabrics

Woven fabrics and multiaxial stitched fabrics

Core Materials

Balsa

Fibre Reinforced Foam

Foam Cores

PP Honeycomb

SphereCel® Laminable Core Materials

Nordmann Portfolio

Agrochemicals

Adhesives & Sealants

Ceramics

Cleaning

Coatings & Inks

Composites

Construction

Elastomers

Electronics

Fine Chemicals

Flame Retardants

Food & Feed

Foundry

Health Care

Industrial Chemicals

Monomers

Oil, Gas & Lubricants

Oleochemicals

Polyurethane

Optical

Paper

Personal Care

Plastics

Textiles & Leather

All the information and application knowledge presented here is based on practical experience and research. However, it is non-binding information. We therefore strongly recommend that you carry out your own tests before using our products. This applies in particular to our formulations, which only represent a starting point for individual developments and for which we can provide no guarantee.

The user alone is responsible for testing in the respective countries concerned and with regard to possible conflicting industrial property rights of third parties (e.g. patents). In this respect, we assume no liability for formulations or partial recipes. Our products are sold according to our General Conditions of Sale.



Advertising for dangerous substances

Dangerous substance as per Regulation (EC) No 1272/2008. This substance is classified and assigned in accordance with the requirements of the aforementioned ordinance. For further information on this substance, please refer to the safety data sheet.

Our global network

Europe

Austria
Bulgaria
Czech Republic
France
Germany
Hungary
Italy
Sweden
Poland
Portugal
Romania
Serbia
Slovakia
Slovenia
Spain
Switzerland
Turkey
United Kingdom

North America

USA, Florida



Asia

China (rep office)
India
Japan
Singapore
South Korea

Nordmann, Rassmann GmbH

Kajen 2
20459 Hamburg
Germany
Phone: +49 40 3687-0
Fax: +49 40 3687 249
info@nordmann.global
www.nordmann.global



NORDMANN