



Setting new standards with CAB

Since June 2025, Nordmann has been cooperating with Chinese supplier Fujian HongYan Chemical, a specialist in cellulose acetate butyrate (CAB). The new partner is REACH-registered and ISO-certified. Initial samples are already available, with commercial quantities to follow shortly.

CAB has a wide range of applications:

- **Leather coatings:** Excellent flexibility, good miscibility with resins, improves flow properties and prevents sagging.
- **Coatings for wood (furniture, parquet), glass and plastics:** High water & weather resistance and film flexibility.
- **Automotive coatings:** Optimizes pigment alignment, high transparency and improves reflow properties.
- **Printing inks:** Particularly suitable for flexible packaging printing inks.
- **UV-curing coatings:** Improves flow properties, enhances adhesion on substrates and increases mechanical resistance.
- **Plastic substrates and films:** For highly transparent, weather-resistant applications.
- **Transparent thermoplastics:** Made by blending EV with CAB, acrylates or methacrylates

Regular Portfolio, commercial available						On request, samples available	
Grades	CAB 381-0.1	CAB 381-0.5	CAB 381-2	CAB 551-0.01	CAB 551-0.2	CAB 381-20	CAB 531-1
Butyryl Content	35.5-41.5%	35.5-41.5%	35.0-41.0%	45.0-58.0%	44.0-58.0%	36.0-40.0%	44.0-54.0%
Acetyl Content	10-18%	10-18%	10-18%	0,1-4%	0,1-5%	11-18%	1-5%
Hydroxyl Content	0.0-3.0%	0.0-3.0%	0.0-3.0%	0.0-4.0%	0.0-4.0%	0.0-3.0%	0.0-3.0%
Viscosity mPa.s/mm*	0.05-0.3	0.35-0.80	0.85-1.25	0.01-0.15	0.2-0.55	1.30-1.80	0.80-1.10
Color	max 100 units (20% in Ethylacetate by PT-Color scale)						
Haze (NTU)	max 50 NTU (20% in Ethylacetate by turbidimeter)						
Acedity as Acetic Acid	0-300mg/kg						
Ash Content	max 1.5%						

*Ubbelohde viscosimeter 0.24mm



Want to know more?

Please contact: peter.kuchenbrod@nordmann.global



NORDMANN

Comments: Properties reported here are typical of average lots. HongYan makes no representation that the material in any particular shipment will conform exactly to the values given. HongYan and its marketing affiliates shall not be responsible for the use of this information, or of any product, method, or apparatus mentioned, and you must make your own determination of its suitability and completeness for own use, for the protection of the environment, and for the health and safety of your employees and purchasers of your products. No warranty is made of the merchantability of fitness of any product, and nothing herein waives any of the Seller's conditions of sale.